



SAMRAT ASHOK TECHNOLOGICAL INSTITUTE

(Engineering College)

(Established in 1960)

VIDISHA (M.P.) - 464 001

सम्राट अशोक अभियांत्रिकीय संस्थान

(इन्जीनियरिंग महाविद्यालय)

(1960 में स्थापित)

विदिशा (म.प्र.) - 464 001

A grant-in-aid, autonomous Institution under the Govt. of M. P.

(Approved by All India Council for Technical Education and affiliated to Rajiv Gandhi Proudyogiki Vishwavidyalaya, Bhopal)

GRAM : SATIENGG

PBX : 250296, 250297

FAX : (07592) 250124

Steno to Director : 250121

e mail : sati@satiengg.org

ग्राम : SATIENGG

पी.बी.एक्स. : 250296, 250297

फैक्स : (07592)250124

संचालक स्टेनो : 250121

Visit us at our Website

www.satiengg.org

INVITATION FOR QUOTATION

TEQIP-II/2015/MP1G02/Shopping/ 3670 /Q__

01-Feb.-2016

To,

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Multi parameter Pocket Tester (Ph/Conductivity/TDS/ Salinity/Temperature)	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.

2	Water Proof Pen Type Ph Meters	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
3	Water Proof Pen Type Conductivity Meters	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
4	Water Proof Pen Type TDS Meters	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
5	Water Proof Pen Type ORP Meters	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
6	Fluoride Tracker Pocket Tester (PPM)	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
7	Dissolved Oxygen Meter	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
8	Laboratory Oven	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
9	Digital Hot Plates	01	30	Samrat Ashok Technological Institute,Engg.	Yes.

				College Vidisha (M.P.)464001	
10	Digital Magnetic Stirrer Hot Plate	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.
11	PRO Water Detectors	01	30	Samrat Ashok Technological Institute,Engg. College Vidisha (M.P.)464001	Yes.

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme [TEQIP]-Phase II** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
 - 3.4 Applicable taxes shall be quoted separately for all items.
 - 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - 3.6 The Prices should be quoted in Indian Rupees only.
4. Each bidder shall submit only one quotation. **Quotation must be submitted in format given at the end of this letter.**
5. Relevant and valid product dealership certificate /marketing authorization letter from principals/OEM, if any, must be accompanied with the quotations.

6. Quotation shall remain valid for a period not less than **45** days after the last date of quotation submission.

7. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

7.1 are properly signed ; and

7.2 Confirm to the terms and conditions, and specifications.

8. The Quotations would be evaluated for all items together.

9. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

9.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

9.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

10. Payment shall be made in Indian Rupees as follows:

Delivery and Installation - 100% of total cost

Satisfactory Acceptance Delivery and Installation - 0% of total cost

11. All supplied items are under warranty of **12 months** from the date of successful acceptance of items.

12. You are requested to provide your offer latest by 15:00 hours on 16-Feb.-2016.

13. Please mention following at the sealed envelope containing the proposal:

Package Name: CE_ Environment Lab_2016

Package Number TEQIP-II /MP/MP1G02/336

DO NOT OPEN BEFORE 15:00 Hrs of 16-Feb.-2016.

14. Detailed specifications of the items are at Annexure I.

15. Training Clause (if any) **YES**
16. Testing/Installation Clause (if any) **YES**
17. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
18. Sealed quotation to be submitted/ delivered at the address mentioned below,
Director
Office of the Director
Samrat Ashok Technological Institute (Engg. College), Civil Lines, Vidisha (M.P.) 464001 India
19. We look forward to receiving your quotation and thank you for your interest in this project.


(Dr. J. S. Chauhan)
Director


Sr. No	Item Name	Specifications
1	Multi parameter Pocket Tester (Ph/Conductivity/TDS/Salinity/Temperature))	<p>Ph- Range- 0.00 to 14.00 ph, Resolution - 0.01 ph, Accuracy-+- 0.01 ph, Cal. Points- Up to 5 (auto), Buffer Sets- Yes</p> <p>Conductivity- Range- 0.0 to 199.9μS /200 to 1999 μS/2.00 to 20.00 mS, Resolution-0.1 μS/1 μS /0.01 mS, Accuracy-+- 1% Full Scale, Cal. Points-3 Auto, 3 Manual, Temperature Coefficient-0.0 to 10.0 % / $^{\circ}$C, Normalization Temperature-25.0 $^{\circ}$C, Auto Ranging- Yes</p> <p>TDS- Range-0.0 to 9909 ppm / 100 to 999 ppm / 1.00 to 10.00 ppt, Resolution-0.1 ppm / 1 ppm / 0.01 ppt, Accuracy-+- 1% Full Scale, Cal. Points- Up to 3 (Manual), TDS Factor-0.40 to 1.00</p> <p>Salinity- Range-0.0 to 9909 ppm / 100 to 999 ppm / 1.00 to 10.00 ppt/ 0.0 to 1.0 %, Resolution-0.1 ppm / 1 ppm / 0.01 ppt / 0.1 %, Accuracy-+- 1% Full Scale, Cal. Points- 1 (manual, above 1.00 ppt)</p> <p>Temperature- Range-0.0 to 50.0 $^{\circ}$C / 32 to 122.0 $^{\circ}$F, Resolution-0.1 $^{\circ}$C / 0.1 $^{\circ}$F, Accuracy-0.5 $^{\circ}$C / 0.9 $^{\circ}$F</p> <p>Meter Features- Temperature Compensation- ATC / MTC, Sensor Type- Ph/Conductivity/TDS/Salinity/Temperature, Non Volatile Memory- Yes, Auto Off-8.5 Mins after last key pressed (Can be disabled), LCD Display- Dual Display LCD (20.1 X 2.7 cms), Power-4 x 1.5 V 'A76' micro alkaline batteries</p> <p>Dimensions- Tester-16.5 x 3.8 cm; 90 gms, Boxed-18.5 x 6.5 x 5 cm; 200 gms</p>
2	Water Proof Pen Type Ph Meters	<p>Ph- Range-0.0-14, Accuracy-+- 0.1 + 1 digit, Resolution-0.01, ATC- Yes, Battery-1.5 V X 3 (or 9 V), Dimension-33.5 X 170.0 mm</p>
3	Water Proof Pen Type Conductivity Meters	<p>Conductivity- Range-0.0 – 19990 μS, Accuracy-+- 1% FS, Resolution-10, ATC- Yes, Battery-9 V, Dimension-33.5 X 170.0 mm</p>
4	Water Proof Pen Type TDS Meters	<p>TDS- Range-0.0 – 19990 PPM, Accuracy-+- 1% FS, Resolution-1,ATC-Yes, Battery-9V, Dimension-33.5 X 170.0 mm</p>
5	Water Proof Pen Type ORP Meters	<p>ORP- Range-+- 1999 mV, Accuracy-+- 2% FS, Resolution-1, ATC- N/A, Battery-9 V Dimension-33.5 X 170.0 mm</p>

6	Fluoride Tracker Pocket Tester	Ppm- Range-0.1 to 10 ppm, Max. Resolution-0.1 ppm, Basic Accuracy-+- 3% rdg, Range-32 to 140 °F (0 to 60 °C), Max. Resolution-1 °F, Basic Accuracy-+- 1.8 °F (1 °C), Dimension-1.4 X 6.9 X 1.6 “ (36 x 176 x 41 mm), Weight-210 gms
7	Dissolved Oxygen Meter	Dissolved Oxygen Meter - Measurement Range- DO : 0 – 40.00mg/l (ppm), 0 – 200.0%-(Temperature : 0.0 - 45 °C), Precision- DO : +- 1 FS (Temperature : +0.4 °C), Temperature Correction- Automatic Temperature : 0.0 - 45 °C, Salinity Correction- Automatic 0.0 – 45 ppt, Air Pressure Correction- Automatic 80- 105 kPa, Display- Backlight LCD, Power-9V / 500Ma External Adopter or Battery backup unit (Optional), Operating Temperature-15 – 45 °C, Dimension-165 (L) x 190 (D) x 60 (H), Weight-700 gms, Electrode- DO Electrode
8	Laboratory Oven	Laboratory Oven -Capacity-121 litres, Internal Size-600 x 450 x 450 mm, External Size-915 x 560 x 710 mm, Trays Qty.- 2, Tray Size-430 x 430 mm, Coating- Exterior and Interior are of Stainless Steel.
9	Digital Hot Plates	Top Plate Size-18 x 18 cm, Top Plate Material- Ceramic, Packing-1
10	Digital Magnetic Stirrer Hot Plate	Top Plate Size-18 x 18 cm, Top Plate Material- Ceramic, Packing-1
11	PRO Water Detectors	Type- Specialist for detecting the groundwater only., Keys- Control Panel keys easy to use and work., Software- Device Software contains with several programs lists, appear in the screen to set up the device to search., Language List- English, French, German, Turkish, Persian, Arabic., Depth-50 – 100 m – 150 m – 250 m – 350 m – 450 m ., Distance-250 m – 500 m – 1000m – 2000m, Mode list for ground water-1- Finding the all groundwater type . 2- Finding the fresh water. Detecting the main assembly of the water. Assists mainly in the water wells drilling. Battery- The device works on a 12-volt battery double (Rechargeable) enables it to work for 12 hours. Battery power level indicator (shown on the screen), Operating temperature- Operating temperature from -10 ° C to 40 ° C, Stored temperature- Can be stored at a temperature of – 15 ° C to 40 ° C, Average level of air humidity-

	<p>Can be stored and work in an average level of air humidity 5% to 75%, Weight of the control unit- Weight of the control unit is the 2 k g only, Full weight of the receiver device- Full weight of the receiver device is 300 g only ., Other- Automatic work in all soil conditions. Ground Waves Sender supporting. Receive device equipped with audio tracking. An additional Receive device, works on a property Advanced receiving antennas. Equipped with filtration system for filtering the receiving and transmitters signals automatically. The results of detection within one minute only. The results of detection within one minute only. Locate the Water target accurately. Determine the level of water presence is an approximation. Easy to work and use anyone can use.</p>
--	--

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: _____

To:

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of ————— months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: _____

Address: _____

Contact No: _____